



AVANTHI INSTITUTE OF PHARMACEUTICAL SCIENCES

(Approved by A.I.C.T.E, P.C.I, New Delhi, Recognized by the Govt. of A.P. & Affiliated to JNTUGV-Vizianagaram)

Cherukupally (Village), Chittivalasa (SO), Bhogapuram (Mandal), Vizianagaram (Dist) -531162.

www.avanthipharma.ac.in, principal@avanthipharma.ac.in

ESTD : 2005

7.1.2: The Institute has facilities and initiatives for

1. Alternate sources of energy and energy conservation measures
2. Management of the various types of degradable and non-degradable waste
- 3. Water conservation**
4. Green campus initiatives
5. Disabled-friendly, barrier free environment.

INDEX

3. Water conservation

S.No	Particulars	Page No
1.	Rain Water Harvesting	2-4
2.	Bore Wells	5-9
3.	Water Tanks	10-14
4.	Waste Water Recycling	15-17
5.	RO Plant Establishment and Maintenance Bills	18-22



AVANTHI INSTITUTE OF PHARMACEUTICAL SCIENCES

(Approved by A.I.C.T.E, P.C.I, New Delhi, Recognized by the Govt. of A.P. & Affiliated to JNTUGV-Vizianagaram)

Cherukupally (Village), Chittivalasa (SO), Bhogapuram (Mandal), Vizianagaram (Dist) -531162.

www.avanthipharma.ac.in, principal@avanthipharma.ac.in

WATER CONSERVATION

1. RAIN WATER HARVESTING:

Rainwater harvesting refers to the process of collecting and storing rainwater for future utilization. This method entails capturing rainfall from various surfaces, such as rooftops, and storing it in tanks or underground reservoirs. By adopting this practice, water conservation is promoted, runoff is minimized, and it serves as a sustainable solution for irrigation, domestic consumption, and replenishing groundwater levels. Rainwater harvesting involves either storing rainwater in natural reservoirs or tanks, or allowing surface water to infiltrate subsurface aquifers before it is lost as runoff. The monitoring and control of the rain water harvesting system is overseen by the faculty and a dedicated team of students from the Avanathi institute of pharmaceutical sciences.



PRINCIPAL

**Avanathi Institute of Pharmaceutical Sciences
Cherukupally (V), Bhogapuram Mandal
Vizianagaram Dt., - 531162**



ESTD : 2005

AVANTHI INSTITUTE OF PHARMACEUTICAL SCIENCES

(Approved by A.I.C.T.E, P.C.I, New Delhi, Recognized by the Govt. of A.P. & Affiliated to JNTUGV-Vizianagaram)

Cherukupally (Village), Chittivalasa (SO), Bhogapuram (Mandal), Vizianagaram (Dist) -531162.

www.avanthipharma.ac.in, principal@avanthipharma.ac.in



Rain water harvesting pit at AIPS campus for water conservation



PRINCIPAL

Avanthi Institute of Pharmaceutical Sciences
Cherukupally (V), Bhogapuram Mandal
Vizianagaram Dt., - 531162




ESTD : 2005

AVANTHI INSTITUTE OF PHARMACEUTICAL SCIENCES

(Approved by A.I.C.T.E, P.C.I, New Delhi, Recognized by the Govt. of A.P. & Affiliated to JNTUGV-Vizianagaram)

Cherukupally (Village), Chittivalasa (SO), Bhogapuram (Mandal), Vizianagaram (Dist) -531162.

www.avanthipharma.ac.in, principal@avanthipharma.ac.in



A pit specifically designed for rainwater harvesting at department of pharmacy



PRINCIPAL

Avanthi Institute of Pharmaceutical Sciences
Cherukupally (V), Bhogapuram Mandal
Vizianagaram Dt., - 531162



ESTD : 2005

AVANTHI INSTITUTE OF PHARMACEUTICAL SCIENCES

(Approved by A.I.C.T.E, P.C.I, New Delhi, Recognized by the Govt. of A.P. & Affiliated to JNTUGV-Vizianagaram)

Cherukupally (Village), Chittivalasa (SO), Bhogapuram (Mandal), Vizianagaram (Dist) -531162.

www.avanthipharma.ac.in, principal@avanthipharma.ac.in

2. BORE-WELLS:

To fulfill the water scarcity needs at the institute, we offer the following solutions.(bore wells).

There are bore wells installed near campus namely

1. A bore well is installed near the bs and h block with capacity of 1.5HP motor capacity.
2. A bore well is installed near pharmacy canteen with capacity of 1.5HP motor capacity .
3. A bore-well is installed near the pharmacy laboratory with capacity of 2HP.
4. A bore-well is installed near the PharmD laboratory with capacity of 2Hp.

S.No	Bore Well Capacity	Location	Bore Well Depth
1.	1.5HP	Pharmacy block	220
2.	1.5HP	Pharmacy canteen	140
3.	2HP	Pharmacy laboratory	180
4.	2HP	Pharm.D lab	220




PRINCIPAL

Avanthi Institute of Pharmaceutical Sciences
Cherukupally (V), Bhogapuram Mandal
Vizianagaram Dt., - 531162



ESTD : 2005

AVANTHI INSTITUTE OF PHARMACEUTICAL SCIENCES

(Approved by A.I.C.T.E, P.C.I, New Delhi, Recognized by the Govt. of A.P. & Affiliated to JNTUGV-Vizianagaram)

Cherukupally (Village), Chittivalasa (SO), Bhogapuram (Mandal), Vizianagaram (Dist) -531162.

www.avanthipharma.ac.in, principal@avanthipharma.ac.in



Bore well in front of AIPS campus



A borehole has been drilled in front of the pharmacy's cafeteria,



PRINCIPAL

Avanthi Institute of Pharmaceutical Sciences

Cherukupally (V), Bhogapuram Mandal
Vizianagaram Dt., - 531162

Avanthi Institute of Pharmaceutical Sciences




ESTD : 2005

AVANTHI INSTITUTE OF PHARMACEUTICAL SCIENCES

(Approved by A.I.C.T.E, P.C.I, New Delhi, Recognized by the Govt. of A.P. & Affiliated to JNTUGV-Vizianagaram)

Cherukupally (Village), Chittivalasa (SO), Bhogapuram (Mandal), Vizianagaram (Dist) -531162.

www.avanthipharma.ac.in, principal@avanthipharma.ac.in



Bore well has been installed in front of the pharmacy building.



Bore well installed in front of the pharmacy laboratory



PRINCIPAL


Avanthi Institute of Pharmaceutical Sciences

Cherukupally (V), Bhogapuram Mandal

Vizianagaram Dt., - 531162

Avanthi Institute of Pharmaceutical Sciences




 **GPS Map Camera**

Visakhapatnam, Andhra Pradesh, India
WCRC+PCJ, Visakhapatnam, Andhra Pradesh 531162, India
Lat 17.942279°
Long 83.421818°
11/10/23 02:15 PM GMT +05:30



Bore well has been installed in close proximity to the AIPS campus




PRINCIPAL
Avanthi Institute of Pharmaceutical Sciences:
Cherukupally (V), Bhogapuram Mandal
Vizianagaram Dt., - 531162



ESTD : 2005

AVANTHI INSTITUTE OF PHARMACEUTICAL SCIENCES

(Approved by A.I.C.T.E, P.C.I, New Delhi, Recognized by the Govt. of A.P. & Affiliated to JNTUGV-Vizianagaram)

Cherukupally (Village), Chittivalasa (SO), Bhogapuram (Mandal), Vizianagaram (Dist) -531162.

www.avanthipharma.ac.in, principal@avanthipharma.ac.in



Bore well installed in the rear area of the pharmacy block



PRINCIPAL

Avanthi Institute of Pharmaceutical Sciences
Cherukupally (V), Bhogapuram Mandal
Vizianagaram Dt., - 531162



AVANTHI INSTITUTE OF PHARMACEUTICAL SCIENCES

(Approved by A.I.C.T.E, P.C.I, New Delhi, Recognized by the Govt. of A.P. & Affiliated to JNTUGV-Vizianagaram)

Cherukupally (Village), Chittivalasa (SO), Bhogapuram (Mandal), Vizianagaram (Dist) -531162.

www.avanthipharma.ac.in, principal@avanthipharma.ac.in

3. WATER TANKS:

The collection and restoration of purified water in Syntex tanks with a capacity of 2500 liters is achieved through the utilization of osmosis technique. This water can then be distributed through pipelines for both drinking purposes and regular usage, such as in washrooms and laboratories. Additionally, this water is utilized for maintaining the health of trees, plants, and the green landscape within the campus, contributing to a healthy environment.




PRINCIPAL

Avanthi Institute of Pharmaceutical Sciences:
Cherukupally (V), Bhogapuram Mandal
Vizianagaram Dt., - 531162




ESTD : 2005

AVANTHI INSTITUTE OF PHARMACEUTICAL SCIENCES

(Approved by A.I.C.T.E, P.C.I, New Delhi, Recognized by the Govt. of A.P. & Affiliated to JNTUGV-Vizianagaram)

Cherukupally (Village), Chittivalasa (SO), Bhogapuram (Mandal), Vizianagaram (Dist) -531162.

www.avanthipharma.ac.in, principal@avanthipharma.ac.in



SYNTEX water storage tank at AIPS campus



Handwritten signature
PRINCIPAL

Avanthi Institute of Pharmaceutical Sciences
Cherukupally (V), Bhogapuram Mandal
Vizianagaram Dt., - 531162



AVANTHI INSTITUTE OF PHARMACEUTICAL SCIENCES
(Approved by A.I.C.T.E, P.C.I, New Delhi, Recognized by the Govt. of A.P. & Affiliated to JNTUGV-Vizianagaram)
Cherukupally (Village), Chittivalasa (SO), Bhogapuram (Mandal), Vizianagaram (Dist) -531162.
www.avanthipharma.ac.in, principal@avanthipharma.ac.in



GPS Map Camera

Google

Vizianagaram, Andhra Pradesh, India
WCVK+9V7, Avanthi College Rd, Andhra Pradesh 531162, India
Lat 17.943063°
Long 83.422167°
11/10/23 01:44 PM GMT +05:30

SYNTEX water storage tank on the top of AIPS campus



PRINCIPAL
Avanthi Institute of Pharmaceutical Sciences
Cherukupally (V), Bhogapuram Mandal
Vizianagaram Dt., - 531162




ESTD : 2005

AVANTHI INSTITUTE OF PHARMACEUTICAL SCIENCES

(Approved by A.I.C.T.E, P.C.I, New Delhi, Recognized by the Govt. of A.P. & Affiliated to JNTUGV-Vizianagaram)

Cherukupally (Village), Chittivalasa (SO), Bhogapuram (Mandal), Vizianagaram (Dist) -531162.

www.avanthipharma.ac.in, principal@avanthipharma.ac.in



SYNTEX Water storage tank situated within PharmD department



PRINCIPAL

Avanthi Institute of Pharmaceutical Sciences
Cherukupally (V), Bhogapuram Mandal
Vizianagaram Dt., - 531162





ESTD : 2005

AVANTHI INSTITUTE OF PHARMACEUTICAL SCIENCES

(Approved by A.I.C.T.E, P.C.I, New Delhi, Recognized by the Govt. of A.P. & Affiliated to JNTUGV-Vizianagaram)
Cherukupally (Village), Chittivalasa (SO), Bhogapuram (Mandal), Vizianagaram (Dist) -531162.

www.avanthipharma.ac.in, principal@avanthipharma.ac.in



 **GPS Map Camera**

Vizianagaram, Andhra Pradesh, India

WCVC+9V7, Avanathi College Rd, Andhra Pradesh 531162, India

Lat 17.9433°

Long 83.422071°

11/10/23 10:52 AM GMT +05:30

Google

**Revolutionizing the water storage system in your Pharmacy department with the advanced
SYNTEX Water storage tank**




PRINCIPAL

Avanathi Institute of Pharmaceutical Sciences
Cherukupally (V), Bhogapuram Mandal
Vizianagaram Dt., - 531162

Avanathi Institute of Pharmaceutical Sciences



AVANTHI INSTITUTE OF PHARMACEUTICAL SCIENCES

(Approved by A.I.C.T.E, P.C.I, New Delhi, Recognized by the Govt. of A.P. & Affiliated to JNTUGV-Vizianagaram)

Cherukupally (Village), Chittivalasa (SO), Bhogapuram (Mandal), Vizianagaram (Dist) -531162.

www.avanthipharma.ac.in, principal@avanthipharma.ac.in


4. WASTE WATER RECYCLING:

Water recycling, also referred to as water reuse, entails the purification of wastewater to render it appropriate for diverse drinking purpose and non-drinking applications such as irrigation or even replenishing underground water sources. This method presents a sustainable solution to combat water scarcity and minimize environmental repercussions. AIPS provides a water purifier and a waste water recycling system that efficiently recycles water. Generally, it functions by utilizing reverse osmosis, a technique that extracts clean water from polluted or saline water by applying pressure on the water through a membrane.



PRINCIPAL

Avanthi Institute of Pharmaceutical Sciences
Cherukupally (V), Bhogapuram Mandal
Vizianagaram Dt., - 531162



Water filtration system and reclamation of wastewater installed at AIPS campus



Principal
PRINCIPAL
Avanthi Institute of Pharmaceutical Sciences
Cherukupally (V), Bhogapuram Mandal
Vizianagaram Dt., - 531162



ESTD : 2005

AVANTHI INSTITUTE OF PHARMACEUTICAL SCIENCES

(Approved by A.I.C.T.E, P.C.I, New Delhi, Recognized by the Govt. of A.P. & Affiliated to JNTUGV-Vizianagaram)

Cherukupally (Village), Chittivalasa (SO), Bhogapuram (Mandal), Vizianagaram (Dist) -531162.

www.avanthipharma.ac.in, principal@avanthipharma.ac.in



Vizianagaram, Andhra Pradesh, India

WCVC +W96, Avanthi college Rd, Andhrapradesh, 531162, India

Lat 17.943356°

Long 83.4219°

12/09/23 02:09 PM GMT +05:30

Google

RO plant system installed at highest point of the pharmacy block



PRINCIPAL

Avanthi Institute of Pharmaceutical Sciences

Cherukupally (V), Bhogapuram Mandal
Vizianagaram Dt., - 531162



ESTD : 2005

AVANTHI INSTITUTE OF PHARMACEUTICAL SCIENCES

(Approved by A.I.C.T.E, P.C.I, New Delhi, Recognized by the Govt. of A.P. & Affiliated to JNTUGV-Vizianagaram)

Cherukupally (Village), Chittivalasa (SO), Bhogapuram (Mandal), Vizianagaram (Dist) -531162.

www.avanthipharma.ac.in, principal@avanthipharma.ac.in



GODAVARI MINERAL WATER TECHNOLOGIES

49-16-6/2,77, Sakshinagar
Chittivalasa, Vizianagaram
Vizianagaram District, Andhra Pradesh 531016
India
GSTIN: 37AAJ26521914C

TAX INVOICE

# Invoice Date	: 08/04/2022	Place of Supply	: Andhra Pradesh (37)
Terms	: 25% Advance		
Due Date	: 23/05/2022		
Billed To	AVANTHI PHARMACEUTICAL SCIENCES Tagarapalasa Vizianagaram Andhra Pradesh India	Billed To	Tagarapalasa Vizianagaram Andhra Pradesh India

#	Item & Description	HSN (SAC)	Qty	Rate	CGST %	CGST Amt	SGST %	SGST Amt	Amount
1	20" JUMBO FILTERS	8421	2.00	450.00	9%	81.00	9%	81.00	900.00
2	CHEMICAL 5020		1.00	1500.00	9%	135.00	9%	135.00	1,500.00
3	8340 MEMBRANE	84212100	1.00	2600.00	9%	233.00	9%	233.00	3266.00
4	25NB MULTI PORT VALVE	8421	1.00	225.00	9%	22.50	9%	22.50	2,500.00
5	SERVICE CHARGE	999717	1.00	1500.00	9%	135.00	9%	135.00	1,500.00

Total in Words: Indian Rupee Forty-Five Thousand Three Hundred Twenty-One Only

Terms & Conditions

- * Goods once sold cannot be taken back.
- * We are not responsible for any breakage, theft or damage during transport.
- * Warranty of components & services is provided by dealer to the customer who sale to end customer.
- * Subject to Vizianagaram Jurisdiction.

Sub Total	38,400.00
CGST@ 9%	3,456.00
SGST@ 9%	3,456.00
Total	Rs. 45,312.00



PRINCIPAL

Avanthi Institute of Pharmaceutical Sciences
Cherukupally (V), Bhogapuram Mandal
Vizianagaram Dt., - 531162



ESTD : 2005

AVANTHI INSTITUTE OF PHARMACEUTICAL SCIENCES

(Approved by A.I.C.T.E, P.C.I, New Delhi, Recognized by the Govt. of A.P. & Affiliated to JNTUGV-Vizianagaram)

Cherukupally (Village), Chittivalasa (SO), Bhogapuram (Mandal), Vizianagaram (Dist) -531162.

www.avanthipharma.ac.in, principal@avanthipharma.ac.in

TESCON
WATER TREATMENTD.No 16-709 Plot No. C-15, GVMC Layout,
Srikonth Naager, Arilva, Vishakhapatnam-530041.

Cell : 9949232731, 953323731

Email: tesconwatertech@yahoo.com

Website: www.tesconwatertech.com

TAX INVOICE/BILLTo: *Avanathi institute of
Pharmaceutical sciences
Tagarapavalasa - Vizag.*

Invoice No: 95

Date: 22/06/22

Order No: Verbel

Date:

Customer:

L.R. /D.C. No. :

Date: 22/06/22

SI No.	Description	HSN CODE	Qty.	Unit	Unit Rate	Amount Rs. Ps.	
1.	Antiscale nt chemical	308299	10kgs		325/-	3,250	00
2.	"20" Jumbo Micron filters	8012290	2 Nos		600/-	1,200	00

Total Amount in words *Five Thousand Two
Hundred fifty one only*

Amount before Tax 4,450 - 00

CGST 9% 1,00 50

SGST 9% 1,00 50

IGST

Total Amount After Tax 5,251 - 00

Bank Details : **TESCON WATER TREATMENT**
Bank Name : *State Bank of India*
Bank A/c : *3697693222*
Bank IFSC : *SBIN0016212*
Branch : *Arilva, Visakhapatnam*For **TESCONE WATER TREATMENT****Terms & Conditions :**

1. Subject to visakapatnam Jurisdiction 2. Good once sold will not be taken back
3. Interest at the rate of 21% per annum shall be charged for delayed payment

GSTIN : 37ALUPM5859J1Z3

Authorised Signatory

**PRINCIPAL**Avanathi Institute of Pharmaceutical Sciences
Cherukupally (V), Bhogapuram Mandal
Vizianagaram Dt., - 531162



ESTD : 2005

AVANTHI INSTITUTE OF PHARMACEUTICAL SCIENCES

(Approved by A.I.C.T.E, P.C.I, New Delhi, Recognized by the Govt. of A.P. & Affiliated to JNTUGV-Vizianagaram)

Cherukupally (Village), Chittivalasa (SO), Bhogapuram (Mandal), Vizianagaram (Dist) -531162.

www.avanthipharma.ac.in, principal@avanthipharma.ac.in

TESCON
WATER TREATMENTD.No 16-709 Plot No. C-15, GVMC Layout,
Srikanth Naager, Arilva, Vishakhapatnam-530041.
Cell : 9949232731, 953323731
Email: tesconwatertech@yahoo.com
Website: www:tesconwatertech.com**TAX INVOICE/BILL**

To: Avanthi Institute of Pharmaceutical Sciences Tagarapavalasa - Vizag PIN 531163			Invoice No: 56		Date: 22/06/22	
			Order No: Verbel		Date:	
			Customer: (wat bill no 151416140192			
			L.R. /D.C. No. :		Date: 22/06/22	
SI No.	Description	HSN CODE	Qty.	Unit	Unit Rate	Amount Rs. Ps.
	1000 (PH RO System (with All Accessories)	8421211 -0		OIND Sets	139830	1,39,830 00
Total Amount in words <u>One lakh sixty five thousand only</u>					Amount before Tax 1,39,830 00	
Bank Details : TESCON WATER TREATMENT					CGST 9/ 12,585 00	
Bank Name : State Bank of India					SGST 9/ 12,585 00	
Bank A/c : 36976932222					IGST	
Bank IFSC : SBIN0015212					Total Amount After Tax 1,65,000	
Branch : Arilva, Visakhapatnam					For TESCON WATER TREATMENT	
Terms & Conditions : 1. Subject to visakhapatnam Jurisdiction 2. Good once sold will not be taken back 3. Interest at the rate of 21% per annum shall be charged for delayed payment					Authorized Signatory	
GSTIN : 37ALUPM5859J1Z3						



PRINCIPAL

Avanthi Institute of Pharmaceutical Sciences
Cherukupally (V), Bhogapuram Mandal
Vizianagaram Dt., - 531162



AVANTHI INSTITUTE OF PHARMACEUTICAL SCIENCES

(Approved by A.I.C.T.E., P.C.I., New Delhi, Recognized by the Govt. of A.P. & Affiliated to JNTUGV-Vizianagaram)

Cherukupally (Village), Chittivalasa (SO), Bhogapuram (Mandal), Vizianagaram (Dist) -531162.

www.avanthipharma.ac.in, principal@avanthipharma.ac.in

TESCON WATER TREATMENT

D.No 16-709 Plot No. C-15, GVMC Layout,
Srikanth Naager, Arilva, Vishakhapatnam-530041,
Cell : 9949232731, 953323731
Email: tesconwatertech@yahoo.com
Website: www:tesconwatertech.com

TAX INVOICE/BILL

To: <i>Avanthi institute of pharmaceutical sciences Tagarapavalasa - Vizag</i>			Invoice No: 85	Date: 12/08/22			
			Order No: <i>10101</i>	Date:			
			Customer:				
			L.R. /D.C. No. :	Date: 12/08/22			
Sl No.	Description	HSN CODE	Qty.	Unit	Unit Rate	Amount Rs.	Pcs.
1	<i>Antiscalent chemical</i>	<i>382490</i>	<i>5 kg</i>		<i>325/-</i>	<i>1625</i>	<i>00</i>
R	<i>"20" Jumbo micron filters</i>	<i>842199</i>		<i>2 Nos</i>	<i>600/-</i>	<i>1200</i>	<i>00</i>
Total Amount in words <i>Three thousand Three hundred Thirty four only</i>					Amount before Tax	<i>2825</i>	<i>00</i>
Bank Details : <i>TESCON WATER TREATMENT</i>					CGST 9%	<i>254</i>	<i>50</i>
Bank Name : <i>State Bank of India</i>					SGST 9%	<i>254</i>	<i>50</i>
Bank A/c : <i>3697693222</i>					IGST		
Bank IFSC : <i>SBIND015212</i>					Total Amount After Tax	<i>3334</i>	<i>00</i>
Branch : <i>Arilva, Vishakhapatnam</i>					For TESCON WATER TREATMENT		
Terms & Conditions : 1. Subject to visakhapatnam Jurisdiction 2. Good once sold will not be taken back 3. Interest at the rate of 21% per annum shall be charged for delayed payment					Authorised Signatory		
GSTIN : 37ALUPM5859J1Z3							



AV
PRINCIPAL

Avanthi Institute of Pharmaceutical Sciences
Cherukupally (V), Bhogapuram Mandal
Vizianagaram Dt., - 531162



AVANTHI INSTITUTE OF PHARMACEUTICAL SCIENCES

(Approved by A.I.C.T.E., P.C.I., New Delhi, Recognized by the Govt. of A.P. & Affiliated to JNTUGV-Vizianagaram)

Cherukupally (Village), Chittivalasa (SO), Bhogapuram (Mandal), Vizianagaram (Dist) -531162.

www.avanthipharma.ac.in, principal@avanthipharma.ac.in

TESCON WATER TREATMENT

D.No 16-709 Plot No. C-15, GVMC Layout,
Srikanth Naager, Arilva, Vishakhapatnam-530041,
Cell : 9949232731, 953323731
Email: tesconwatertech@yahoo.com
Website: www:tesconwatertech.com

TAX INVOICE/BILL

To: <i>Avanthi institute of pharmaceutical sciences Tagarapavalasa Vizag</i>	Invoice No: 85	Date: 27/12/22
	Order No: Verbel	Date:
	Customer:	
	L.R. /D.C. No. :	Date: 27/12/22

SI No.	Description	HSN CODE	Qty.	Unit	Unit Rate	Amount Rs.	Ps.
1.	<i>Antiscalent Chemical</i>	<i>382490-22</i>	<i>10 Kgs</i>	<i>325/-</i>		<i>3,250</i>	<i>00</i>
2.	<i>"20" Jumbo Micron filters</i>	<i>842199-00</i>	<i>4 Nos</i>	<i>600/-</i>		<i>2,400</i>	<i>00</i>
3.	<i>"10" Micron filter</i>	<i>842199-00</i>	<i>2 Nos</i>	<i>150/-</i>		<i>300</i>	<i>00</i>

Total Amount in words <i>Seven Thousand and Twenty one only</i>	Amount before Tax	<i>5,950 = 00</i>
Bank Details : <i>TESCON WATER TREATMENT</i>	CGST <i>9%</i>	<i>535 = 50</i>
Bank Name : <i>State Bank of India</i>	SGST <i>9%</i>	<i>535 = 50</i>
Bank A/c : <i>36976932222</i>	IGST	<i>T</i>
Bank IFSC : <i>SBIN0015212</i>	Total Amount After Tax	<i>7021 = 00</i>
Branch : <i>Arilva, Visakhapatnam</i>	For TESCON WATER TREATMENT	
Terms & Conditions : 1. Subject to visakhapatnam Jurisdiction 2. Good once sold will not be taken back 3. Interest at the rate of 21% per annum shall be charged for delayed payment	Authorised Signatory	
GSTIN : 37ALUPM5859J1Z3		



PRINCIPAL

Avanthi Institute of Pharmaceutical Sciences
Cherukupally (V), Bhogapuram Mandal
Vizianagaram Dt., - 531162